Serial No.: 09/815,892 Filed: March 23, 2001

Page : 2 of 8

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

Claims 1-16 (Canceled).

- 17. (Withdrawn) A method of treating an occluded vessel with a stent, comprising: routing a delivery catheter having the stent mounted or restrained thereon to a position proximal to the diseased section of the vessel wherein the stent includes:
 - a core having an outer surface,
- a first portion capable of increasing the visibility of the core to *in-vivo* viewing methods, and
- a barrier on the outer surface of the device so that the first portion is isolated from a patient's blood;

deploying the stent from the delivery catheter; and

expanding the stent into abutment against the interior lining of the diseased vessel so as to provide a support mechanism to prevent closure of the vessel,

wherein a portion of the core contacts the vessel.

- 18. (Previously presented) A device used in-vivo comprising:
- a core;
- a first portion capable of increasing the visibility of the core to *in-vivo* viewing methods; and
- a barrier on the outer surface of the device so that the first portion is isolated from a patient's blood,

wherein the barrier comprises an oxide of a metal selected from the group consisting of Ti, Cr, Ta, and Al.

- 19. (Withdrawn) The device of Claim 18, wherein the visibility increasing means comprises a radio-opaque layer disposed on at least a portion of the outer surface of the core.
- 20. (Withdrawn) The device of Claim 19, wherein the means for establishing a barrier on the outer surface of the device comprises an outer layer disposed on at least a portion

Serial No.: 09/815,892 Filed: March 23, 2001

Page : 3 of 8

of the outer surface of the radio-opaque layer to form a barrier layer between the radio-opaque layer and the patient's blood.

- 21. (Withdrawn) The device of Claim 20, wherein the outer layer is made from an oxide of a metal selected from the group consisting of Ti, Cr, Ta, and Al.
- 22. (Withdrawn) The device of Claim 20, wherein the outer layer is made from a nitride of a metal selected from the group consisting of Ti, Cr, Ta, and Al.
- 23. (Withdrawn) The device of Claim 20, wherein the outer layer is made from a carbide of a metal selected from the group consisting of Ti, Cr, Ta, and Al.
- 24. (Previously presented) The device of Claim 18, wherein the barrier comprises an outer layer surrounding at least a portion of the core to form a barrier layer between the core and the patient's blood.
 - 25. (Canceled)
 - 26. (Previously presented) A device used in-vivo comprising:

a core;

- a first portion capable of increasing the visibility of the core to *in-vivo* viewing methods; and
- a barrier on the outer surface of the device so that the first portion is isolated from a patient's blood,

wherein the barrier comprises a nitride of a metal selected from the group consisting of Cr, Ta and A1.

27. (Previously presented) A device used in-vivo comprising:

a core;

- a first portion capable of increasing the visibility of the core to *in-vivo* viewing methods; and
- a barrier on the outer surface of the device so that the first portion is isolated from a patient's blood,

wherein the barrier comprises a carbide of a metal selected from the group consisting of Ti, Cr, Ta and V.

- 28. (Previously presented) The device of Claim 24, wherein the outer surface of the outer layer includes a therapeutic agent.
- 29. (Previously presented) The device of Claim 24, wherein the outer surface of the outer layer is textured.

Serial No.: 09/815,892 Filed: March 23, 2001

Page : 4 of 8

30. (Previously presented) The device of Claim 29, wherein the textured outer surface is adapted for receiving a therapeutic agent to be delivered during use.

- 31. (Previously presented) The device of Claim 30, wherein the structure of the textured surface is selected from the group consisting of micro-pores, grooves, and cross-hatched lines.
 - 32. (Canceled)
- 33. (Previously presented) The device of Claim 18, wherein the first portion includes a pre-selected percentage of the core being a radio-opaque element.
- 34. (Previously presented) The device of Claim 18, wherein the core is an alloy comprising a pre-selected percentage of radio-opaque element so that the visibility of the core to *in-vivo* viewing methods is increased.
- 35. (Previously presented) The device of Claim 34, wherein the percentage is approximately 70 percent.
- 36. (Previously presented) The device of Claim 24, wherein the first portion includes a radio-opaque material disposed in the core.
- 37. (Previously presented) The device of Claim 18, wherein the device is a coronary stent.
- 38. (Withdrawn) The method of claim 17, wherein a portion of the first portion contacts the vessel.
- 39. (Withdrawn) The method of claim 17, wherein the first portion is surrounded by the core and the barrier.
- 40. (Withdrawn) The method of claim 17, wherein the first portion does not completely surround the core.
- 41. (Withdrawn) The method of claim 17, wherein the barrier comprises a material selected from the group consisting of a nitride, an oxide, and a carbide.
- 42. (Currently amended) The device of claim 26, wherein the barrier layer comprises a therapeutic agent.
 - 43. (Previously presented) The device of claim 26, in the form of a stent.

Serial No.: 09/815,892 Filed: March 23, 2001

Page : 5 of 8

44. (Currently amended) The device of claim 27, wherein the barrier layer comprises a therapeutic agent.

- 45. (Previously presented) The device of claim 27, in the form of a stent.
- 46. (New) A stent, comprising:
- a core comprising an alloy comprising a radio-opaque element; and
- a barrier on the core so that the core is isolated from a patient's blood.
- 47. (New) The stent of claim 46, wherein the alloy comprises a material selected from the group consisting of tantalum, gold, and titanium.
- 48. (New) The stent of claim 46, wherein the barrier comprises an oxide, a nitride, or a carbide.